



# TARIFA PVP A-Presión

Accesorios PE Inyectado  
para Tuberías PE-100



CODO 90°

dn	Dimensiones (mm)		ud/caja	SDR17 PN10	SDR11 PN16	SDR 7,4 PN 25
	h	z		Código	Código	Código
20	49	75	35		□ 1 34 12 020	
25	53	80	25		□ 1 34 12 025	
32	59	89	15		● 1 34 12 032	□ 1 36 12 032
40	59	85	22		● 1 34 12 040	□ 1 36 12 040
50	60	89	14		● 1 34 12 050	□ 1 36 12 050
63	68	103	15		● 1 34 12 063	□ 1 36 12 063
75	71	114	10		● 1 34 12 075	□ 1 36 12 075
90	80	130	6	□ 1 32 12 090	● 1 34 12 090	□ 1 36 12 090
110	85	146	6	□ 1 32 12 110	● 1 34 12 110	□ 1 36 12 110
125	89	159	1	□ 1 32 12 125	● 1 34 12 125	□ 1 36 12 125
140	90	172	1	□ 1 32 12 140	● 1 34 12 140	□ 1 36 12 140
160	115	225	1	● 1 32 12 160	● 1 34 12 160	□ 1 36 12 160
180	121	235	1	□ 1 32 12 180	● 1 34 12 180	
200	127	252	1	● 1 32 12 200	● 1 34 12 200	
225	138	274	1	□ 1 32 12 225	● 1 34 12 225	
250	143	300	1	● 1 32 12 250	● 1 34 12 250	
280*			1			
315	180	392	1	● 1 32 12 315	● 1 34 12 315	



CODO 45°


dn	Dimensiones (mm)		ud/caja	SDR17 PN10	SDR11 PN16	SDR 7,4 PN 25
	h	z		Código	Código	Código
32	50	64	20		● 1 34 20 032	□ 1 36 20 032
40	59	71	10		● 1 34 20 040	□ 1 36 20 040
50	60	74	15		● 1 34 20 050	□ 1 36 20 050
63	68	85	18		● 1 34 20 063	□ 1 36 20 063
75	73	92	11		● 1 34 20 075	□ 1 36 20 075
90	83	106	7	□ 1 32 20 090	● 1 34 20 090	□ 1 36 20 090
110	84	112	8	□ 1 32 20 110	● 1 34 20 110	□ 1 36 20 110
125	89	125	1	□ 1 32 20 125	● 1 34 20 125	□ 1 36 20 125
140	95	128	1	□ 1 32 20 140	● 1 34 20 140	□ 1 36 20 140
160	100	142	1	● 1 32 20 160	● 1 34 20 160	□ 1 36 20 160
180	125	183	1	□ 1 32 20 180	● 1 34 20 180	
200	131	197	1	● 1 32 20 200	● 1 34 20 200	
225	134	213	1	□ 1 32 20 225	● 1 34 20 225	
250	142	232	1	● 1 32 20 250	● 1 34 20 250	
280*			1			
315	210	318	1	● 1 32 20 315	● 1 34 20 315	

\*Consultar

Disponibilidad: ● Stock, □ 5-6 días, \*Consultar


# Accesorios PE Inyectado para Tuberías PE-100

# TARIFA PVP A-Presión




### TE IGUAL 90°

dn	Dimensiones (mm)		ud/caja	SDR17 PN10	SDR11 PN16	SDR 7,4 PN 25
	h	z		Código	Código	Código
20	59	80	14		□ 1 34 32 020	
25	60	76	14		□ 1 34 32 025	
32	60	82	22		● 1 34 32 032	□ 1 36 32 032
40	59	84	15		● 1 34 32 040	□ 1 36 32 040
50	60	89	9		● 1 34 32 050	□ 1 36 32 050
63	67	103	10		● 1 34 32 063	□ 1 36 32 063
75	74	126	6		● 1 34 32 075	● 1 36 32 075
90	80	135	10	□ 1 32 32 090	● 1 34 32 090	● 1 36 32 090
110	95	162	9	□ 1 32 32 110	● 1 34 32 110	● 1 36 32 110
125	90	160	1	□ 1 32 32 125	● 1 34 32 125	□ 1 36 32 125
140	95	174	1	□ 1 32 32 140	● 1 34 32 140	□ 1 36 32 140
160	106	200	1	● 1 32 32 160	□ 1 34 32 160	□ 1 36 32 160
180	124	243	1	□ 1 32 32 180	● 1 34 32 180	
200	130	259	1	● 1 32 32 200	● 1 34 32 200	
225	136	282	1	□ 1 32 32 225	● 1 34 32 225	
250	142	307	1	● 1 32 32 250	● 1 34 32 250	
280*			1			
315	178	388	1	● 1 32 32 315	● 1 34 32 315	



### TE REDUCIDA 90°

dn		Dimensiones (mm)			ud/caja	SDR17 PN10	SDR11 PN16
dn	dn1	h	h1	z		Código	Código
90	63	90	74	147	1		● 1 34 40 091
110	63	88	62	158	1		● 1 34 40 112
110	90	95	89	162	1		● 1 34 40 110
125	90	100	85	179	1		● 1 34 40 126
125	110	100	95	179	1		● 1 34 40 125
160	90	111	84	212	1	□ 1 32 40 163	● 1 34 40 163
160	110	111	93	212	1	□ 1 32 40 162	● 1 34 40 162




### TAPÓN FINAL

dn	Dimensiones (mm)		ud/caja	SDR17 PN10	SDR11 PN16	SDR 7,4 PN 25
	h	z		Código	Código	Código
20	54	59	90			□ 1 36 60 020
25	60	68	65		● 1 34 60 025	□ 1 36 60 025
32	53	59	45		● 1 34 60 032	□ 1 36 60 032
40	57	68	30		● 1 34 60 040	□ 1 36 60 040
50	61	74	15		● 1 34 60 050	□ 1 36 60 050
63	64	80	12	□ 1 32 60 063	● 1 34 60 063	□ 1 36 60 063
75	74	89	5	□ 1 32 60 075	● 1 34 60 075	□ 1 36 60 075
90	82	100	6	□ 1 32 60 090	● 1 34 60 090	□ 1 36 60 090
110	91	118	9	□ 1 32 60 110	● 1 34 60 110	□ 1 36 60 110
125	102	122	1	□ 1 32 60 125	● 1 34 60 125	□ 1 36 60 125
140	103	125	1	□ 1 32 60 140	● 1 34 60 140	□ 1 36 60 140
160	101	134	1	● 1 32 60 160	● 1 34 60 160	□ 1 36 60 160
180	114	150	1	□ 1 32 60 180	● 1 34 60 180	
200	119	163	1	● 1 32 60 200	● 1 34 60 200	
225	124	180	1	□ 1 32 60 225	● 1 34 60 225	
250	132	179	1	● 1 32 60 250	● 1 34 60 250	
280*						
315	175	298	1	● 1 32 60 315	● 1 34 60 315	

Disponibilidad: ● Stock, □ 5-6 días, \*Consultar


# TARIFA PVP A-Presión

Accesorios PE Inyectado  
para Tuberías PE-100




## MANGUITO TOPE BRIDA LARGO

dn	d1	c	ud/caja	SDR17 PN10				SDR11 PN16				SDR7,4 PN25			
				h	h <sub>1</sub>	z	Código	h	h <sub>1</sub>	z	Código	h	h <sub>1</sub>	z	Código
32	40	68	12					68	10	96	□ 1 34 02 032	69	11	95	□ 1 36 02 032
40	50	78	20					62	11	87	• 1 34 02 040	69	12	94	□ 1 36 02 040
50	61	88	15					61	12	95	• 1 34 02 050	66	13	94	□ 1 36 02 050
63	75	102	8	66	14	98	□ 1 32 02 063	86	14	120	• 1 34 02 063	65	16	96	• 1 36 02 063
75	89	122	13	74	16	116	□ 1 32 02 075	94	16	130	• 1 34 02 075	68	18	109	• 1 36 02 075
90	105	138	9	98	17	140	□ 1 32 02 090	97	17	140	• 1 34 02 090	81	20	121	• 1 36 02 090
110	125	158	6	112	18	155	□ 1 32 02 110	112	18	153	• 1 34 02 110	87	21	128	• 1 36 02 110
125	132	158	1	93	18	131	□ 1 32 02 125	122	25	167	• 1 34 02 125	107	28	161	• 1 36 02 125
140	155	187	1	104	18	154	□ 1 32 02 140	108	25	156	• 1 34 02 140	105	29	159	□ 1 36 02 140
160	175	212	1	109	18	156	• 1 32 02 160	106	30	159	• 1 34 02 160	104	29	160	□ 1 36 02 160
180	180	212	1	118	20	169	□ 1 32 02 180	145	30	196	• 1 34 02 180	114	36	175	□ 1 36 02 180
200	232	268	1	116	24	181	• 1 32 02 200	112	32	182	• 1 34 02 200	112	36	188	□ 1 36 02 200
225	235	268	1	125	24	190	• 1 32 02 225	152	32	219	• 1 34 02 225	143	36	209	□ 1 36 02 225
250	285	320	1	134	25	205	• 1 32 02 250	133	35	205	• 1 34 02 250	123	40	203	□ 1 36 02 250
280	291	320	1	160	25	215	• 1 32 02 280	160	35	225	• 1 34 02 280	164	40	234	□ 1 36 02 280
315	335	370	1	202	25	267	• 1 32 02 315	205	35	275	• 1 34 02 315	143	45	228	□ 1 36 02 315
355	373	430	1	210	30	280	□ 1 32 02 355	210	40	290	□ 1 34 02 355				
400	427	482	1	230	38	308	• 1 32 02 400	230	48	310	• 1 34 02 400				
450			1	220	46	326	□ 1 32 02 450	220	60	340	□ 1 34 02 450				
500			1	234	46	330	□ 1 32 02 500	234	60	344	□ 1 34 02 500				



## MANGUITO TOPE BRIDA CUELLO CORTO

Dimensiones (mm)			SDR 26 PN 6		SDR 17,6 PN 10		SDR 11 PN 16	
Ø	Ø1	Ø2	H2 (mm)	Código	H2 (mm)	Código	H2 (mm)	Código
250	285	320	-	1 30 00 250	35	1 32 00 250	30	1 34 00 250
280	291	320	-	1 30 00 280	45	1 32 00 280	40	1 34 00 280
315	335	370	-	1 30 00 315	35	1 32 00 315	30	1 34 00 315
355	373	430	-	1 30 00 355	50	1 32 00 355	35	1 34 00 355
400	427	482	-	1 30 00 400	42	1 32 00 400	30	1 34 00 400
450	514	585	-	1 30 00 450	14	1 32 00 450	15	1 34 00 450
500	530	585	-	1 30 00 500	24	1 32 00 500	10	1 34 00 500
560	615	685	-	1 30 00 560	10	1 32 00 560	16	1 34 00 560
630	642	685	-	1 30 00 630	30	1 32 00 630	16	1 34 00 630
710	737	800	-	1 30 00 710	20	1 32 00 710	20	1 34 00 710
800	840	905	-	1 30 00 800	18	1 32 00 800	25	1 34 00 800
900	944	1005	-	1 30 00 900	15	1 32 00 900	20	1 34 00 900




## MANGUITO TOPE BRIDA LARGO REBAJADO PARA VÁLVULA MARIPOSA

Dimensiones (mm)			SDR 17 PN10	SDR 11 PN16
Ø	Ø1	Ø2	Código	Código
63	53	99	-	-
75	68	119,7	-	-
90	82	137	-	-
110	105	158,4	-	-
125	127	158,4	-	-
160	152	211	-	-
200	202	264	-	-

Disponibilidad: ● Stock, □ 5-6 días, \*Consultar

# TARIFA PVP A-Presión

Accesorios PE Inyectado  
para Tuberías PE-100



## REDUCCIÓN INYECTADA LARGA

dn	dn1	Dimensiones (mm)			ud/caja	SDR17 PN10	SDR11 PN16	SDR 7,4 PN 25
		h	h1	z		Código	Código	Código
32	20	55	52	124	30		1 34 06 031	
	20	59	52	130	20		● 1 34 06 042	
40	25	59	54	128	20		● 1 34 06 041	
	32	61	48	125	20		● 1 34 06 040	1 36 06 040
	25	60	50	135	12		● 1 34 06 052	1 36 06 052
50	32	60	47	134	12		● 1 34 06 051	□ 1 36 06 051
	40	60	62	134	12		● 1 34 06 050	□ 1 36 06 050
	25	64	57	140	8		● 1 34 06 066	
63	32	64	63	143	8		● 1 34 06 065	□ 1 36 06 065
	40	68	52	139	8		● 1 34 06 064	□ 1 36 06 064
	50	63	57	132	8		● 1 34 06 063	□ 1 36 06 063
75	40	72	60	147	4	□ 1 32 06 077	● 1 34 06 077	□ 1 36 06 077
	50	72	59	153	4	□ 1 32 06 076	● 1 34 06 076	□ 1 36 06 076
	63	73	67	154	4	□ 1 32 06 075	● 1 34 06 075	□ 1 36 06 075
90	50	82	61	162	4	□ 1 32 06 092	● 1 34 06 092	□ 1 36 06 092
	63	80	68	169	4	□ 1 32 06 091	● 1 34 06 091	□ 1 36 06 091
	75	83	71	164	4	□ 1 32 06 090	● 1 34 06 090	□ 1 36 06 090
110	50	88	57	177	7	□ 1 32 06 113	● 1 34 06 113	
	63	87	69	188	7	□ 1 32 06 112	● 1 34 06 112	□ 1 36 06 112
	75	85	72	173	7	□ 1 32 06 111	● 1 34 06 111	□ 1 36 06 111
125	90	86	81	181	7	□ 1 32 06 110	● 1 34 06 110	□ 1 36 06 110
	63	96	68	199	1	□ 1 32 06 128	● 1 34 06 128	
	75	95	78	191	1	□ 1 32 06 127	● 1 34 06 127	□ 1 32 06 127
140	90	96	81	191	1	□ 1 32 06 126	● 1 34 06 126	□ 1 36 06 126
	110	96	84	192	1	□ 1 32 06 125	● 1 34 06 125	□ 1 36 06 125
	90	95	80	205	1	□ 1 32 06 143	● 1 34 06 143	□ 1 36 06 143
160	110	94	83	193	1	□ 1 32 06 142	● 1 34 06 142	□ 1 36 06 142
	125	95	89	198	1	□ 1 32 06 141	● 1 34 06 141	□ 1 36 06 141
	90	101	82	221	1	□ 1 32 06 163	● 1 34 06 163	□ 1 36 06 163
180	110	101	103(86)	270(218)	1	● 1 32 06 162	● 1 34 06 162	□ 1 36 06 162
	125	101	91	208	1	● 1 32 06 161	● 1 34 06 161	□ 1 36 06 161
	140	101	92	206	1	● 1 32 06 160	● 1 34 06 160	□ 1 36 06 160
200	125	107	88(100)	220(245)	1	□ 1 32 06 182	● 1 34 06 182	
	140	105	96	221	1	□ 1 32 06 181	● 1 34 06 181	
	160	107	101(103)	224(245)	1	□ 1 32 06 180	● 1 34 06 180	
225	110	126	96	287	1	● 1 32 06 203	● 1 34 06 203	
	140	115(125)	95(100)	231(251)	1	□ 1 32 06 202	● 1 34 06 202	
	160	116	101	252	1	● 1 32 06 201	● 1 34 06 201	
250	180	117(126)	109(113)	236(251)	1	□ 1 32 06 200	● 1 34 06 200	
	90	121	89	298	1	□ 1 32 06 231	● 1 34 06 231	
	125	131	100	288	1	□ 1 32 06 229	● 1 34 06 229	
280	160	133	120	292	1	□ 1 32 06 227	● 1 34 06 227	
	180	132	125	285	1	□ 1 32 06 226	● 1 34 06 226	
	200	132	130	277	1	□ 1 32 06 225	● 1 34 06 225	
315	160	135	115	315	1	● 1 32 06 253	● 1 34 06 253	
	180	138	124	304	1	□ 1 32 06 252	● 1 34 06 252	
	200	140	130	301	1	● 1 32 06 251	● 1 34 06 251	
350	225	137	134	296	1	□ 1 32 06 250	● 1 34 06 250	
	200	172	123	340	1	□ 1 32 06 282	● 1 34 06 282	
	225	168	138	334	1	□ 1 32 06 281	● 1 34 06 281	
400	250	158	148	322	1	□ 1 32 06 280	● 1 34 06 280	
	160	100	110	375	1	● 1 32 06 320	● 1 34 06 320	
	200	175	130	363	1	● 1 32 06 318	● 1 34 06 318	
450	225	173	138	389	1	□ 1 32 06 317	● 1 34 06 317	
	250	173	150	381	1	□ 1 32 06 316	● 1 34 06 316	
	280	175	155	360	1	□ 1 32 06 315	● 1 34 06 315	

( ) Cotas para accesorios en PN25 / SDR7,4

Disponibilidad: ● Stock, □ 5-6 días, \*Consultar