


TARIFA PVP B-Saneamiento

Accesorios Manipulados para
Tubería Corrugada PP/PE




CURVA 30° M-H

DN	DI	R = 2 x DN	Dimensiones (mm) (aprox.)			Código
			L1	L2	L3	
160	139	320	200	450	380	7 22 07 160
200	176	400	200	530	420	7 22 07 200
250	218	500	230	500	440	7 22 07 250
315	272	630	240	550	465	7 22 07 315
340	300	650	240	750	570	7 22 07 340
400	350	800	360	750	620	7 22 07 400
455	400	950	360	1.015	800	7 22 07 455
500	440	1.000	420	1.130	910	7 22 07 500
568	500	1.130	420	1.320	1.020	7 22 07 568
630	558	1.260	510	1.500	1.170	7 22 07 630
700*	600	1.400	560	1.710	1.420	7 22 07 700
800	705	1.620	600	1.970	1.730	7 22 07 800
1000	885	2.000	800	-	-	7 22 07 990

Dimensiones en mm.

Accesorio M/H incluye manguito colocado en un extremo y junta en el extremo macho.

*Macho-Macho




CURVA 45° M-H

DN	DI	R = 2 x DN	Dimensiones (mm) (aprox.)			Código
			L1	L2	L3	
160	139	320,00	200	510	390	7 22 05 160
200	176	400,00	230	540	400	7 22 05 200
250	218	500,00	260	560	420	7 22 05 250
315	272	630,00	290	570	445	7 22 05 315
340	300	680,00	340	770	550	7 22 05 340
400	350	800,00	350	770	600	7 22 05 400
455	400	900,00	390	1.035	780	7 22 05 455
500	440	1.000,00	430	1.150	890	7 22 05 500
568	500	1.136,00	450	1.350	1.000	7 22 05 568
630	558	1.260,00	500	1.520	1.150	7 22 05 630
700*	600	1.400,00	550	1.730	1.400	7 22 05 700
800	705	1.600,00	600	2.000	1.700	7 22 05 800
1000	885	2.000,00	800	2.200	2.000	7 22 05 990

Dimensiones en mm.

Accesorio M/H incluye manguito colocado en un extremo y junta en el extremo macho.

*Macho-Macho



CURVA 60° M-H

DN	DI	R = 2 x DN	Dimensiones (mm) (aprox.)			Código
			L1	L2	L3	
160	139	320,00	220	490	340	7 22 03 160
200	176	400,00	230	560	380	7 22 03 200
250	218	500,00	260	570	400	7 22 03 250
315	272	630,00	290	590	445	7 22 03 315
340	300	680,00	340	790	530	7 22 03 340
400	350	800,00	350	720	580	7 22 03 400
455	400	900,00	390	1.055	760	7 22 03 455
500	440	1.000,00	430	1.170	870	7 22 03 500
568	500	1.136,00	450	1.370	980	7 22 03 568
630	558	1.260,00	500	1.540	1.130	7 22 03 630
700*	600	1.400,00	550	1.750	1.380	7 22 03 700
800	705	1.620,00	600	2.020	1.680	7 22 03 800
1000	885	2.000,00	800	2.240	2.020	7 22 03 990


Dimensiones en mm.

Accesorio M/H incluye manguito colocado en un extremo y junta en el extremo macho.

*Macho-Macho

Accesorios PE/PE Manipulados para Tuberías Corrugado

TARIFA PVP B-Saneamiento




CURVA 90° M-H

DN	DI	R = 2 x DN	Dimensiones (mm) (aprox.)				Código
			L1	L2	L3	L4	
160	139	320,00	200	200	490	490	7 22 01 160
200	176	400,00	200	200	560	560	7 22 01 200
250	218	500,00	230	230	570	570	7 22 01 250
315	272	630,00	240	240	590	590	7 22 01 315
340	300	680,00	240	240	790	790	7 22 01 340
400	350	800,00	360	360	720	720	7 22 01 400
455	400	900,00	360	360	1.055	1.055	7 22 01 455
500	440	1.000,00	420	420	1.170	1.170	7 22 01 500
568	500	1.136,00	420	420	1.370	1.370	7 22 01 568
630	558	1.260,00	510	510	1.540	1.540	7 22 01 630
700*	600	1.400,00	560	560	1.750	1.750	7 22 01 700
800	705	1.600,00	600	600	2.020	2.020	7 22 01 800
1000	885	2.000,00	800	800	2.240	2.240	7 22 01 990

Dimensiones en mm.

Accesorio M/H incluye manguito colocado en un extremo y junta en el extremo macho.

*Macho-Macho




TE 90° M-H-H

DN	DI	Dimensiones (mm)		Código
		L1	L2	
250	218	430	860	7 22 22 250
315	278	520	1.040	7 22 22 315
340	300*	550	1.100	7 22 22 340
400	340	600	1.200	7 22 22 400
455	400*	700	1.400	7 22 22 455
500	436	750	1.500	7 22 22 500


Dimensiones en mm.

Nota: Incluye una junta de estanqueidad en el extremo macho y 2 manguitos hembra en los otros dos ya colocados.



TE 45° M-H-H

DN	DI	Dimensiones (mm)		Código
		L1	L2	
340	300*	1.200	310	7 22 25 340
400	340	1.250	340	7 22 25 400
455	400*	1.415	360	7 22 25 455
500	436	1.500	400	7 22 25 500



CRUZ M-M-M-M


DN	DI	Dimensiones (mm)		Código
		L	L1	
160	136	800	400	7 22 30 160
200	176	950	475	7 22 30 200
250	216	1.000	500	7 22 30 250
315	278	1.000	500	7 22 30 315
340	300	1.100	550	7 22 30 340
400	340	1.200	600	7 22 30 400
455	400	1.400	700	7 22 30 455
500	436	1.500	750	7 22 25 500

Dimensiones en mm.

Nota: Incluye una junta de estanqueidad en cada extremo.

TARIFA PVP B-Saneamiento

Accesorios Manipulados para
Tubería Corrugada PP/PE




REDUCCIÓN EXCÉNTRICA M-H

DN1 Macho	DN2 Hembra	S	Dimensiones (mm)		Código
			L1	L2	
200	160	10	300	160	7 22 52 200
250	200	10	300	180	7 22 52 250
250	160	10	300	160	7 22 52 251
315	250	10	350	230	7 22 52 316
315	200	10	350	180	7 22 52 315
315	160	10	350	160	7 22 52 317
340	315	10	380	220	7 22 52 340
340	250	10	380	230	7 22 52 341
340	200	10	380	180	7 22 52 342
340	160	10	380	160	7 22 52 343
400	340	10	400	250	7 22 52 460
400	315	10	400	220	7 22 52 400
400	250	10	400	230	7 22 52 401
400	200	10	400	180	7 22 52 402
400	160	10	400	160	7 22 52 404
455	400	10	450	280	7 22 52 455
455	340	10	450	250	7 22 52 456
455	315	10	450	220	7 22 52 457
455	250	10	450	230	7 22 52 458
455	200	10	450	180	7 22 52 459
455	160	10	450	160	7 22 52 454
500	455	10	500	300	7 22 52 501
500	400	10	500	280	7 22 52 500
500	340	10	500	250	7 22 52 561
500	315	10	500	220	7 22 52 503
500	250	10	500	230	7 22 52 504
500	200	10	500	180	7 22 52 505
500	160	10	500	160	7 22 52 506
630	560	10	550	370	7 22 52 631
630	500	10	550	380	7 22 52 630
630	455	10	550	300	7 22 52 632
630	400	10	550	280	7 22 52 633
630	340	10	550	250	7 22 52 634
630	315	10	550	220	7 22 52 635
630	250	10	550	230	7 22 52 636
630	200	10	550	180	7 22 52 637
630	160	10	550	160	7 22 52 638
800	630	10	600	460	7 22 52 800
800	560	10	600	370	7 22 52 801
800	500	10	600	380	7 22 52 802
800	455	10	600	300	7 22 52 803
800	400	10	600	280	7 22 52 804
1.000	800	10	750	500	7 22 52 990
1.000	630	10	750	630	7 22 52 951
1.000	560	10	750	560	7 22 52 952
1.000	500	10	750	500	7 22 52 953


Dimensiones en mm.

Nota: Incluye una junta de estanqueidad colocada en el macho del accesorio.

**TAPÓN HEMBRA**


Diámetro Ø 1	Dimensiones (mm)		Código
	L	e	
	Tapón Hembra		
160	80	10	7 22 67 160
200	90	10	7 22 67 200
250	115	10	7 22 67 250
315	110	10	7 22 67 315
340	125	10	7 22 67 340
400	140	10	7 22 67 400
455	150	10	7 22 67 455
500	190	10	7 22 67 500
560	185	10	7 22 67 560
630	230	10	7 22 67 630
700	225	10	7 22 67 700
800	250	10	7 22 67 800
1000	250	10	7 22 67 990

Dimensiones en mm.

**TAPÓN MACHO**

Diámetro Ø 1	Dimensiones (mm)		Código
	L	e	
	Tapón Macho		
160	160	10	7 22 62 160
200	200	10	7 22 62 200
250	250	10	7 22 62 250
315	300	10	7 22 62 315
340	300	10	7 22 62 340
400	350	10	7 22 62 400
455	350	10	7 22 62 455
500	350	10	7 22 62 500
560	400	10	7 22 62 560
630	400	10	7 22 62 630
700	500	10	7 22 62 700
800	500	10	7 22 62 800
1000	500	10	7 22 62 990


Nota: Incluye una junta de estanqueidad colocada en el macho del accesorio.

**TRANSICIÓN TUBO
CORRUGADO. PE
LISO MACHO-
MACHO**

Diámetro Ø 1	Dimensiones (mm)		Código
	L1	L2	
	Transición Macho-Macho		
160	300	300	7 22 34 160
200	350	300	7 22 34 200
250	350	300	7 22 34 250
315	400	325	7 22 34 315
400	450	350	7 22 34 400
500	500	400	7 22 34 500
630	600	400	7 22 34 630
800	700	600	7 22 34 800
1000	700	600	7 22 34 990

Dimensiones en mm.

Nota: Incluye una junta de estanqueidad colocada en el macho del accesorio.

**TRANSICIÓN TUBO
CORRUGADO. PE LISO
HEMBRA-MACHO**

Diámetro Ø 1	Dimensiones (mm)		Código
	L1 (hembra)	L2 (macho)	
	Transición Hembra-Macho		
160	160	-	7 22 36 160
200	180	255	7 22 36 200
250	230	285	7 22 36 250
315	220	300	7 22 36 315
400	280	355	7 22 36 400
500	380	415	7 22 36 500
630	460	470	7 22 36 630
800	500	600	7 22 36 800
1000	-	600	7 22 36 990